



HAYWARD®

092560 RevA

HLX-DSP-MOUNT

Replacement Local Terminal Mount for OmniLogic

Installation Manual

Contents

Description.....1

Installation.....1

HLX-DSP-MOUNT

Hayward Pool Products
620 Division Street, Elizabeth NJ 07207
www.hayward.com

USE ONLY HAYWARD GENUINE REPLACEMENT PARTS



HAYWARD®

Description


The HLX-DSP-MOUNT is a replacement mount for the OmniLogic's Local Terminal (touch screen). The HLX-DSP-MOUNT stands the Local Terminal off of the OmniLogic's Main Board.

Installation

DANGER of Death, Injury or Property Damage if procedure not followed. This accessory connects to the OmniLogic panel beneath the dead front. Dead front removal is required for this installation. Power to the OmniLogic panel **MUST** be shut off before the dead front is removed. This means a complete shutdown of power to the entire OmniLogic panel.

1. Ensure that power is removed from OmniLogic.
2. Remove the dead front to expose the OmniLogic Main Board.
3. If an HL-IOEXPAND is installed, remove it before attempting to remove the Local Terminal.
4. Unplug the Local Terminal ribbon cable.

Unplug Local Terminal ribbon cable






HAYWARD®

5. Pull straight out on the Local Terminal to separate it from the mount.
6. Pull straight out on the mount to separate it from the Main Board.
7. Refer to the diagram below when installing the HLX-DSP-MOUNT. Insert the legs of the HLX-DSP-MOUNT into the Main Board. Push firmly to secure.
8. Insert the Local Terminal onto the top of the HLX-DSP-MOUNT.
9. Re-insert the ribbon cable.
10. Replace the HL-IOEXPAND if used.
11. Replace the dead front and power up the OmniLogic.

Confirm that the Local Terminal is fully functional and secure.



For further information or consumer
technical support, visit our website at
www.hayward.com



HAYWARD®



Hayward is a registered trademark and OmniLogic is
a trademark of Hayward Industries, Inc. © 2014 Hayward Industries, Inc.

All other trademarks not owned by Hayward are the property of their respective owners.
Hayward is not in any way affiliated with or endorsed by those third parties.

USE ONLY HAYWARD GENUINE REPLACEMENT PARTS